

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: POOLIFE® FILTER CLEANER

1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc. 501 Merritt 7 PO Box 5204 Norwalk, CT 06856-5204 REVISION DATE: SUPERCEDES: 07/21/2009 09/11/2007

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE: FORMULA:

00000003648 None Organic aqueous solution Filter cleaner NOT APPLICABLE/MIXTURE

0

2. HAZARDS IDENTIFICATION

OSHA Hazard Classification:	Corrosive to eyes	s, Moderate skin irritant,	Mucous membrane irr	ritant
Routes of Entry: Chemical Interactions: Medical Conditions Ag				
Human Threshold Res	ponse Data			
Odor Threshold	Not established for	r product.		
Butoxyethanol		0.1 ppm		
Irritation Threshold	Not established for p	roduct.		
Hazardous Materials Identification System / National Fire Protection Association Classifications				
Hazard Ratings :	Health	Flammability	Physical / Instability	<u>PPI / Special</u> hazard.
HMIS	3	0	0	<u>nazuru.</u>

0

NFPA

3



Immediate (Acute) Health Effects

Inhalation Toxicity:	Not expected to be toxic by inhalation. Inhalation of mist or vapor may
	cause irritation to the mucous membranes of the respiratory tract. Any
	irritation would be transient with no permanent damage expected.
Skin Toxicity:	Slightly toxic by skin contact. Skin contact may cause moderate irritation
	consisting of transient redness and swelling. This irritant effect would not
	be expected to result in permanent damage.
Eye Toxicity:	Corrosive. Burns can occur following exposure. Direct contact may
	cause impairment of vision, corneal damage and/or blindness. Rinsing
	of the eye should take place immediately.
Ingestion Toxicity:	Ingestion may cause irritation of the gastrointestinal tract and
	gastrointestinal discomfort with any or all of the following symptoms:
	nausea, vomiting or diarrhea. Slightly toxic if swallowed.
Acute Target Organ Toxicity:	This product is corrosive to the eyes, moderately irritating to the skin
	and upon inhalation, may cause irritation to mucous membranes and
	respiratory tract.
Prolonged (Chronic) Health Eff	o sto
	EUIS

Prolonged (Chronic) Health Effects

Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.
Reproductive and	No reproductive or developmental risk to humans is expected from
Developmental Toxicity:	exposure to this product.
Inhalation	There are no known or reported effects from chronic exposure except for effects similar to those experienced from acute exposure.
Skin Contact:	Prolonged or repeated exposure may cause severe irritation.
Ingestion:	There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure.
Sensitization:	This material is not known or reported to be a skin or respiratory sensitizer.
Chronic Target Organ Toxicity:	This product has not been tested. However, chronic (repeated) exposures to this product would be expected to produce similar effects as seen from acute exposures.
Supplemental Health Hazard Information :	No additional health information available.

3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME	<u>CAS #</u>	<u>% RANGE</u>
Citric Acid	77-92-9	1 - 6
Butoxyethanol	111-76-2	5 - 10

Arch Chemic Inc.	cals,	MATERIAL SAFETY DATA SHEET
ETIDRONIC ACID	2809-21-4	5 - 10
POLY(OXY-1,2-ETHANEDIYL), .ALPHA (NONYLPHENYL)	9016-45-9	5 - 10
Water	7732-18-5	64 - 84

4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
Flammable Properties	
Flash Point:	Not applicable
Autoignition Temperature:	Not applicable
Fire / Explosion Hazards:	This material is not expected to burn unless all the water is boiled away. The remaining compounds may be ignitable.
Extinguishing Media:	Choose extinguishing media suitable for surrounding materials.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products: Upper Flammable / Explosive Limit, Lower Flammable / Explosive Limit,	Carbon monoxide, Carbon dioxide % in air: No data



6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Hazardous concentrations in air may be found in local spill area and immediately downwind. Vapors may be suppressed by the use of water fog. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Land Release:	Create a dike or trench to contain materials. Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Do not place spill materials back in their original containers. Decontaminate all clothing and the spill area using a detergent and flush with large amounts of water. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Additional Spill Information :	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non- essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Avoid freezing.
Incompatible Materials for Storage: Empty Container Warning:	Refer to Section 10, "Incompatible Materials." Empty containers retain hazardous residue, dispose of accordingly.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product



Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.		
Respirator Type :	N95 particulate filter.	Air purifying respirato nospheres or if exposu	with organic vapor cartridge and rs should not be used in oxygen re concentrations exceed ten
Skin Protection :		ves to avoid skin conta	ict.
Eye Protection: Protective Clothing Type:	Use chemical goggle Impervious	s and a faceshield.	
General Protective		ety shower should be	provided in the immediate work
Measures:	area.		
Exposure Limit Data			
CHEMICAL NAME	CAS #	Name of Limit	<u>Exposure</u>
Butoxyethanol	111-76-2	ZUS_ACGIH	20 ppm TWA
Butoxyethanol	111-76-2	ZUS_OSHAPO	25 ppm TWA 120 mg/m3 TWA
Butoxyethanol	111-76-2	ZUS_OSHAP1	50 ppm TWA 240 mg/m3 TWA
Butoxyethanol	111-76-2	NIOSH-IDLH	700 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	liquid
Color:	clear
Odor:	Heavy detergent odor
Molecular Weight:	Not applicable/Mixture
Specific Gravity :	1.1380
pH :	1.0 - 3.0 (@ 25 Deg. C)
Boiling Point:	101 DEG°C / 215 DEG°F
Freezing Point:	0 DEG°C / 32 DEG°F
Melting Point:	No data
Density:	1.1380g/cc
Vapor Pressure:	17.00000000 (@ 25 Deg. C)
Vapor Density:	No data
Viscosity:	Not applicable
Fat Solubility:	No data
Solubility in Water:	soluble
Partition coefficient n-	No data
Fat Solubility:	No data
Evaporation Rate:	Approximately1.00
Oxidizing:	No data
Volatiles, % by vol.:	No data
VOC Content	No data



HAP Content

No data

10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:

Conditions to Avoid: Chemical Incompatibility: Hazardous Decomposition Products: Decomposition Temperature: Stable under normal conditions. Not sensitive to mechanical shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization. High temperatures, Avoid freezing. Strong oxidizing agents, strong acids, strong alkalies Carbon monoxide, Carbon dioxide, phosphorus oxides No data

11. TOXICOLOGICAL INFORMATION

Component Animal Tox	icology
Oral LD50 value:	
Citric Acid Butoxyethanol	LD50 = 3,000 mg/kg rat LD50 = 1,590 mg/kg Rat
ETIDRONIC ACID	LD50 = 1,590 mg/kg Rat LD50 = 1,440 mg/kg Rat
POLY(OXY-1,2-	LD50 = 4,000 mg/kg Rat
ETHANEDIYL), .ALPHA (NONYLPHENYL)	
Dermal LD50 value:	
Citric Acid	LD50 Believed to be > 2,000 mg/kg rabbit
Butoxyethanol ETIDRONIC ACID	LD50 = 580 mg/kg Rabbit LD50 > 4,764 mg/kg Rabbit
POLY(OXY-1,2-	LD50 > 2,000 mg/kg Rabbit LD50 > 2,000 mg/kg Rabbit
ETHANEDIYL), .ALPHA (NONYLPHENYL)	
· · · ·	
Inhalation LC50 value: Citric Acid	no data available
Butoxyethanol ETIDRONIC ACID	Inhalation LC50 4 h 486 ppm Rat No data
POLY(OXY-1,2-	Inhalation LC50 No data
ETHANEDIYL), .ALPHA (NONYLPHENYL)	
(-	
Product Animal Toxicity	
Oral LD50 value:	LD50 Believed to be approximately 3,700 mg/kg rat
<u>Dermal LD50 value:</u> Inhalation LC50	LD50 Believed to be approximately 1,700 mg/kg rabbit no data available
<u>value</u> :	This metarial is expected to be mederately irritating
Skin Irritation: Eye Irritation:	This material is expected to be moderately irritating. This material is expected to be corrosive.
Skin Sensitization:	This material is not known or reported to be a skin or respiratory sensitizer.



		This product is corrosive to the eyes, moderately irritating to the skin and upon inhalation, may cause irritation to mucous membranes and respiratory tract.			
		t known or reported to cause subchronic or chronic toxicity.			
Reproductiv Developmer		Not known or reported to cause reproductive or developmental toxicity.			
Cit	ric Acid	This chemical has been tested in laboratory animals and there was no evidence of reproductive toxicity or teratogenicity.			
Bu	toxyethanol	Reproductive toxicity occurred in laboratory animals only at doses that were maternally toxic.			
ET	IDRONIC AC	CID This product has been tested and was shown not to produce any adverse effects on reproductive function or fetal development when administered to laboratory animals.			
Mutagenicity Cit	y: ric Acid	Not known or reported to be mutagenic. This product was determined to be non-mutagenic in the Ames assay. It was also shown to be negative in			
Bu	toxyethanol	the Dominant lethal assay. This material has been shown to be non-mutagenic in the majority of a battery of assays. Not expected to be a mutagenic hazard.			
ET	IDRONIC AC				
Carcinogeni	icity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.			
Cit	ric Acid	The carcinogenicity has been evaluated through animal study and it was found not to be carcinogenic.			
Bu	toxyethanol	This material has been classified by the U.S. EPA as a "Group C" carcinogen (Suggestive Human Carcinogen), based on equivocal and limited evidence in laboratory animals. The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.			
ET	IDRONIC AC	CID This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.			

12. ECOLOGICAL INFORMATION

Overview:

No data for product. Individual constituents are as follows:



Ecological Toxicity Values for: Citric A	<u>cid</u>	
Lepomis macrochirus (Bluegill	- ((static). 96 h LC50 = 1,516 mg/l
sunfish)		
Daphnia magna (Water flea)	-	72 h EC50Approximately 120 mg/l
Ecological Toxicity Values for: ETIDRC	NIC	ACID
Bluegill	-	96 h LC50 = 868 mg/l
Rainbow trout (Salmo gairdneri),	-	96 h LC50 = 368 mg/l
Channel Catfish (Ictalurus		96 h LC50 = 695 mg/l
punctatus rafinesque),		Ũ
Sheepshead minnow	-	96 h LC50 = 2,180 mg/l
Daphnia magna,	-	48 h EC50= 527 mg/l
Grass shrimp	-	96 h LC50= 1,770 mg/l
Oyster Shell Deposition	-	96 h EC50= 89 mg/l
Mallard duck	-	Oral LD50 > 2,510 mg/kg
Bobwhite quail	-	Oral LD50 > 2,510 mg/kg
•		· 3 3

13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.
Disposal Methods :	As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D002

14. TRANSPORT INFORMATION

Land (US DOT): Water (IMDG):	UN3265 CORRC	NOT REGULATED AS A DOT HAZARDOUS MATERIAL OSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (ETIDRONIC Marine Pollutant: No
Air (IATA):	Flash Point: Not UN3265 CORRC ACID) 8 III	t applicable OSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (ETIDRONIC
Emergency Response G	Juide Number:	Not applicable
POOLIFE® FILTER CLEA REVISION DATE : 07/2		Page 8 of 11



Transportation Notes:

Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d).

EMS:

F-A, S-B

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA):		The components of this product are listed on the TSCA Inventory of Existing Chemical Substances. None established	
EPA Pesticide Registration Number:			
FIFRA Listing of Pesticide Chemicals (40 CFR 180):		Not registered in the US under FIFRA.	
Superfund Amendme	ents and Reauthor	ization Act (S	SARA) Title III:
Hazard Categories Sections 311 / 312 (40 Health Immo Physical None		ediate (Acute) Health Hazard	
Emergency Planning	g & Community Rig	ght to Know (40 CFR 355, App. A):
Extremely Hazardou ZUS_SAR302	s Substance Section TPQ (threshold pla quantity)		shold Planning Quantity: None established
Reportable Quantity ZUS_CERCLA	(49 CFR 172.101, A Reportable quantity		GLYCOL ETHERS Value:
ZUS_SAR302	Reportable quantity	/	None established
Supplier Notification	Requirements (40	CFR 372.45)	, 313 Reportable Components
ZUS_SAR313	De minimis concen	tration	Glycol ethers (Non-carcinogenic) Value: 1%
Clean Air Act Toxic CAA 112R	ARP Section 112r: None est	tablished	
Clean Air Act Socmi HON SOC	:		
US. EPA Hazardous (1) 07 1999	Organic NESHAP (H	ION) Syntheti	c Organic Chemicals (40 CFR 63.100106, Table



Group I ETHYLENE GLYCOL MONOBUTYL ETHER

Clean Air Act VOC Section 111:

CAA 111

US. EPA Clean Air Act (CAA) Section 111 SOCMI Intermediate or Final Volatile Organic Compounds (40 CFR 60.489) 01 1996 2-BUTOXYETHANOL

Clean Air Act Haz. Air Pollutants Section 112: ZUS_CAAHAP None established

ZUS_CAAHRP None established

CAA AP

US. EPA Hazardous Organic NESHAP (HON) Hazardous Air Pollutants (40 CFR 63.100-.106, Table 2) 04 1999 GLYCOL ETHERS

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:

CAS #	COMPONENT NAME	
111-76-2	Butoxyethanol	

ZUSPA_RTK

Pennsylvania: Hazardous substance list 1989-08-11 ETHANOL, 2-BUTOXY-

New Jersey:

CAS #	COMPONENT NAME
111-76-2	Butoxyethanol

ZUSNJ_RTK

New Jersey Right to Know Hazardous Substance List (RTK-HSL) 2007-03-01 2-BUTOXY ETHANOL ETHYLENE GLYCOL MONOBUTYL ETHER ETHANOL, 2-BUTOXY- BUTYL CELLOSOLVE Special Health Hazard - Carcinogen

Massachusetts:

CAS #	COMPONENT NAME
111-76-2	Butoxyethanol
ZUSMA_RTK	
POOLIFE® FILTER CLEANER	



Massachusetts Right to Know List of Chemicals and Hazard Classifications 1993-04-24 2-BUTOXYETHANOL BUTYL CELLOSOLVE ETHYLENE GLYCOL MONOBUTYL ETHER

California Proposition 65:

CAS #	COMPONENT NAME

ZUSCA_P65

None established

WHMIS Hazard Classification:

Ingredient Disclosure List (WHMIS) 1988-01-20 Threshold limits: 1 Weight % 409 CITRIC ACID

Ingredient Disclosure List (WHMIS) 2007-08-24 Threshold limits: 1 Weight % 824 Ethylene glycol monobutyl ether

16. OTHER INFORMATION

MSDS REVISION STATUS :Revised toSECTIONS REVISED:3, 8, 11Major References :Available up

Revised to meet the ANSI standard of 16 sections 3, 8, 11 Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.